

	FLEXILUX	SOFTLUX
Compostion	100% Polyester (colour 0320 - PES 83,4%, CV 11,6%, LI 5%)	100% Polyester
Description	Fabric have pockets for rod and eyelets to thread a pull-up cord. Gap between pockets - 20 cm	Fabric have pockets for rod and eyelets to thread a pull-up cord. Gap between pockets - 20 cm.
Processing	Must be sewed	Must be sewed
Lenght of roll	Aprox. 40 mb.	Aprox. 40 mb.
Widht of roll	238 cm (colour 0320 - 200 cm)	200 cm
Weight	303 g/m ² (colour 0320 - 253 g/m ²)	208 g/m ²
Fire resistance certificate	No	No
Cleaning	Wash in temp. 30°, do not use chlorine, can be ironed	Wash in temp. 30°, do not use chlorine, can be ironed





Flexilux
snow

0100

238 cm



Flexilux
white

1924


238 cm



Flexilux
natural

0320


200 cm



Flexilux
ivory

1883


238 cm



Flexilux
beige

1874

238 cm



Flexilux
sun

1948

238 cm



Flexilux
dark beige

1881

238 cm



Flexilux
silver

2960

238 cm



Flexilux
stone

2959

238 cm



Flexilux
cappuccino

1949

238 cm



Flexilux
espresso

1882

238 cm



Flexilux
maroon

1884


238 cm



Flexilux
black

2968

238 cm



Softlux
vanilla

001

200 cm



Softlux
sand

002

200 cm



Softlux
champagne

003

200 cm



Softlux
mocca

004


200 cm



Softlux
terracotta

009

200 cm



Softlux
grey

010

260 cm